


**N5**
**Versioni e codici - Versions and product codes**

Codice - Product code	Misura - Size
N5Y002	3/8"
N5Y003	1/2"
N5Y004	3/4"
N5Y005	1"
N5Y006	1 1/4"
N5Y007	1 1/2"
N5Y008	2"
N5Y009	2 1/2"
N5Y010	3"
N5Y011	4"

**Dati tecnici - Technical data**


- Temperatura massima di esercizio: 100 °C
- Pressione massima di esercizio: 16 bar (da 3/8" a 3"); 10 bar (4")
- Pressione di apertura: 0,05 bar
- Max working temperature: 100 °C
- Max working temperature: 16 bar (from 3/8" to 3"); 10 bar (4")
- Open pressure: 0,05 bar

**Materiali - Materials**

- UNI EN 12165 CW617N
- UNI EN 12165 CW614N
- NBR
- Fibra
- UNI EN 12165 CW617N
- UNI EN 12165 CW614N
- NBR
- Fiber

**Perdite di carico - Losses of pressure**

Misura - Size	Kv	Misura - Size	Kv
3/8"	3,95	1 1/2"	44
1/2"	7	2"	93
3/4"	9	2 1/2"	222
1"	16	3"	360
1 1/4"	32	4"	540

**Dimensioni - Dimensions**


Codice Product code	Misura - Size G	H [mm]	L [mm]
N5Y002	3/8"	46	47
N5Y003	1/2"	46	47
N5Y004	3/4"	51	53
N5Y005	1"	61	63
N5Y006	1 1/4"	73	74
N5Y007	1 1/2"	85	87
N5Y008	2"	94	97
N5Y009	2 1/2"	107	118
N5Y010	3"	130	135
N5Y011	4"	159	164

**Testi di capitolato - Product specifications**
**N5**

Valvola di ritegno a clapet, con tenuta su sede in gomma. Materiali: ottone UNI EN 12165 CW617N; ottone UNI EN 12164 CW614N; NBR; fibra. Temperatura massima di esercizio 100 °C. Pressione massima di esercizio 16 bar (3/8"÷3"); 10 bar (4"). Pressione di apertura 0,05 bar.

Clapper check valve, neoprene seat. Materials: UNI EN 12165 CW617N brass; UNI EN 12164 CW614N brass; NBR; fiber. Max working temperature 100 °C. Max working temperature 16 bar (from 3/8" to 3"); 10 bar (4"). Open pressure 0,05 bar



**Additional information**

For additional information please check the website [www.giacomini.com](http://www.giacomini.com) or contact the technical service: ☎ +39 0322 923372 📠 +39 0322 923255 ✉ [consulenza.prodotti@giacomini.com](mailto:consulenza.prodotti@giacomini.com)  
This pamphlet is merely for information purposes. Giacomini S.p.A. retains the right to make modifications for technical or commercial reasons, without prior notice, to the items described in this pamphlet. The information described in this technical pamphlet does not exempt the user from following carefully the existing regulations and norms on good workmanship.  
Giacomini S.p.A. Via per Alzo, 39 - 28017 San Maurizio d'Opaglio (NO) Italy