

PRODUCT

C

O

D

E

S

FIRE PROTECTION

A7A p. 40



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-----------------------|--------------|----------------|----------------|------------|----------|
| Adjustable fog nozzle | Forged brass | Rough brass | A7AY001 | 1 1/2" NST | - |
| | | Polished brass | A7AY021 | 1 1/2" NST | |

A7B p. 40



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-----------------------|--------------|-------------|----------------|------------|-------------|
| Adjustable fog nozzle | Forged brass | Rough brass | A7BY001 | 1 1/2" NST | With bumper |
| | | | A7BY011 | 2 1/2" NST | |

A7BP p. 40



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-----------------------|-------------------------|-----------|-----------------|------------|-------------|
| Adjustable fog nozzle | Plastic (Polycarbonate) | - | A7BPY001 | 1 1/2" NST | With bumper |

A50 p. 3



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------|--------------|-----------------|----------------|----------------|-----------------|
| Angle hose valve | Forged brass | Rough brass | A50Y001 | 1 1/2" NPT FxF | With hydrolator |
| | | Rough chrome | A50X001 | 1 1/2" NPT FxF | |
| | | Polished chrome | A50X011 | 1 1/2" NPT FxF | |

A53 p. 2



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|----------------|----------------|-----------------------------|----------------------------|
| Gate valve | Forged brass | Rough brass | A53Y001 | 2 1/2" NPT F x 2 1/2" NST M | With pin lug cap and chain |
| | | | A53Y002 | 3" NPT F x 2 1/2" NST M | |
| | | | A53Y021 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | | A53Y022 | 3" NPT F x 2 1/2" NST M | |
| | | Polished brass | A53Y041 | 2 1/2" NPT F x 2 1/2" NST M | With pin lug cap and chain |
| | | | A53Y042 | 3" NPT F x 2 1/2" NST M | |
| | | Rough chrome | A53Y061 | 2 1/2" NPT F x 2 1/2" NST M | - |
| | | | A53X001 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | | A53X041 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | | A53X061 | 2 1/2" NPT F x 2 1/2" NST M | |

A53G p. 2



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-------------|-----------------|-----------------------------|-----------------------------------|
| Gate valve | Forged brass | Rough brass | A53GY001 | 2 1/2" NST M x 2 1/2" NST F | Pin lug swevel |
| | | | A53GY021 | 2 1/2" NST M x 2 1/2" NST F | Pin lug swevel with cap and chain |

A55 p. 4



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------|--------------|-----------------|----------------|----------------|----------|
| Angle hose valve | Forged brass | Rough brass | A55Y001 | 1 1/2" NPT FxF | - |
| | | | A55Y005 | 2 1/2" NPT FxF | |
| | | Polished brass | A55Y011 | 1 1/2" NPT FxF | |
| | | | A55Y015 | 2 1/2" NPT FxF | |
| | | Rough chrome | A55X001 | 1 1/2" NPT FxF | |
| | | | A55X005 | 2 1/2" NPT FxF | |
| | | Polished chrome | A55X011 | 1 1/2" NPT FxF | |

A55G p. 5



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------|--------------|-------------|-----------------|------------------------------|----------|
| Angle hose valve | Forged brass | Rough brass | A55GY005 | 2 1/2" groove x 2 1/2" NPT F | - |

FIRE PROTECTION

A56 p. 4



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES | |
|------------------|--------------|-----------------|-----------------|-----------------------------|----------|----------------------------|
| Angle hose valve | Forged brass | Rough brass | A56Y001 | 1 1/2" NPT F x 1 1/2" NST M | - | |
| | | | A56Y005 | 2 1/2" NPT F x 2 1/2" NST M | | |
| | | Polished brass | A56Y051 | 1 1/2" NPT F x 1 1/2" NST M | | |
| | | | A56Y055 | 2 1/2" NPT F x 2 1/2" NST M | | |
| | | Rough brass | A56TY005 | 2 1/2" NPT F x 2 1/2" NST M | | With pin lug cap and chain |
| | | Rough chrome | A56X001 | 1 1/2" NPT F x 1 1/2" NST M | | - |
| | | | A56X005 | 2 1/2" NPT F x 2 1/2" NST M | | |
| | | Polished chrome | A56X055 | 2 1/2" NPT F x 2 1/2" NST M | | |

A56G p. 5



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------|--------------|-------------|-----------------|------------------------------|----------|
| Angle hose valve | Forged brass | Rough brass | A56GY005 | 2 1/2" groove x 2 1/2" NST M | - |

A58 p. 42



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------|--------------|----------------|----------------|--------------|----------|
| Automatic ball drip | Forged brass | Rough brass | A58Y003 | 1/2" NPT MxM | - |
| | | | A58Y004 | 3/4" NPT MxM | |
| | | Polished brass | A58Y013 | 1/2" NPT MxM | |

A59 p. 42



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-------------|----------------|-------------|----------|
| Line tester | Forged brass | Rough brass | A59Y005 | 1" NPT Fx F | - |

A61 p. 44



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------|--------------|-------------|----------------|---------------|------------------------|
| Test and drain valve | Forged brass | Rough brass | A61Y001 | 1" NPT F | 3/8" horifice K=2.8 |
| | | | A61Y002 | 1 1/4" NPT F | 3/8" horifice K=2.8 |
| | | | A61Y003 | 1" NPT F | 7/16" horifice K=4.2 |
| | | | A61Y004 | 1 1/4" NPT F | 7/16" horifice K=4.2 |
| | | | A61Y005 | 1" NPT F | 1/2" horifice K=5.6 |
| | | | A61Y006 | 1 1/4" NPT F | 1/2" horifice K=5.6 |
| | | | A61Y009 | 1" NPT F | 3/4" horifice K=14.0 |
| | | | A61Y010 | 1 1/4" NPT F | 3/4" horifice K=14.0 |
| | | | A61Y012 | 1 1/4" NPT F | 5/8" horifice K=11.0 |
| | | | A61Y015 | 1" NPT F | 17/32" horifice K=8.0 |
| | | | A61Y016 | 1 1/4" NPT F | 17/32" horifice K=8.0 |
| | | | A61Y030 | 2" NPT F | 7/16" horifice K=4.2 |
| | | | A61Y032 | 2" NPT F | 1/2" horifice K=5.6 |
| | | | A61Y033 | 2" NPT F | 17/32" horifice K=8.0 |
| | | | A61Y034 | 2" NPT F | 5/8" horifice K=11.2 |
| | | | A61Y035 | 2" NPT F | 3/4" horifice K=14.0 |
| | | | A61Y036 | 2" NPT F | 15/16" horifice K=16.8 |
| | | | A61Y037 | 2" NPT F | 15/64" horifice K=22.4 |
| | | | A61Y038 | 2" NPT F | 19/64" horifice K=25.2 |
| | | | A61Y052 | 1 1/4" groove | 3/8" horifice K=2.8 |
| | | | A61Y056 | 1 1/4" groove | 1/2" horifice K=5.6 |
| | | | A61Y058 | 1 1/4" groove | 17/32" horifice K=8.0 |
| | | | A61Y060 | 1 1/4" groove | 3/4" horifice K=14.0 |
| | | | A61Y062 | 1 1/4" groove | 5/8" horifice K=11.0 |
| | | | A61Y080 | 2" groove | 7/16" horifice K=4.2 |
| | | | A61Y082 | 2" groove | 1/2" horifice K=5.6 |
| | | | A61Y083 | 2" groove | 17/32" horifice K=8.0 |
| | | | A61Y085 | 2" groove | 3/4" horifice K=14.0 |
| | | | A61Y086 | 2" groove | 15/16" horifice K=16.8 |
| | | | A61Y087 | 2" groove | 15/64" horifice K=22.4 |
| | | | A61Y088 | 2" groove | 19/64" horifice K=25.2 |

FIRE PROTECTION

○ A65 p. 28



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------------|--------------|----------------|----------------|-----------------------------|----------|
| Hose rack mounting nipple | Forged brass | Polished brass | A65Y041 | 1 1/2" NPT M x 1 1/2" NST M | - |
| | | Rough chrome | A65X001 | 1 1/2" NPT M x 1 1/2" NST M | |
| | | | A65X021 | 2 1/2" NPT M x 2 1/2" NST M | |

○ A70 p. 37-38



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------------|--------------|----------------|----------------|----------------|-------------------|
| Single lug brass coupling | Forged brass | Rough brass | A70Y001 | 1 1/2" NST FxF | Type A pin lug |
| | | | A70Y005 | 1 1/2" NST FxF | Type C pin lug |
| | | Polished brass | A70Y051 | 1 1/2" NST FxF | Type A pin lug |
| | | | A70X001 | 1 1/2" NST FxF | |
| | | Rough chrome | A70X005 | 1 1/2" NST FxF | Type C pin lug |
| | | | A70X011 | 1 1/2" NST FxF | Type G rocker lug |



| | | | | | |
|---------------------------|--------------|-----------------|----------------|--------------------|--------------------|
| Double lug brass coupling | Forged brass | Rough brass | A70Y002 | 1 1/2" NST FxF | Type A0 rocker lug |
| | | | A70Y006 | 1 1/2" NST FxF | Type C0 pin lug |
| | | | A70Y009 | 1 1/2" NST FxF | Type E pin lug |
| | | | A70Y011 | 1 1/2" NST FxF | Type G rocker lug |
| | | | A70Y015 | 1 1/2" NST FxF | |
| | | | A70Y017 | 1 1/2" NST FxF | Type P pin lug |
| | | | A70Y018 | 1 1/2" NST FxF | Type Q rocker lug |
| | | | A70Y021 | 1 1/2" NST FxF | Type T pin lug |
| | | | A70Y022 | 1 1/2" NST FxF | Type U rocker lug |
| | | | A70Y030 | 1 1/2" NST FxF | Type U0 rocker lug |
| | | | A70Y035 | 1 1/2" NST FxF | Type M0 rocker lug |
| | | | A70Y067 | 1 1/2" NST FxF | Type P pin lug |
| | | A70Y081 | 2" NST FxF | Type AA pin lug | |
| | | A70Y083 | 2" NST FxF | Type CC pin lug | |
| | | A70Y101 | 2 1/2" NST FxF | Type A1 pin lug | |
| | | A70Y103 | 2 1/2" NST FxF | Type C1 pin lug | |
| | | A70Y105 | 2 1/2" NST FxF | Type D1 pin lug | |
| | | A70Y108 | 2 1/2" NST FxF | Type E1 rocker lug | |
| | | A70Y112 | 2 1/2" NST FxF | Type M1 pin lug | |
| | | A70Y113 | 2 1/2" NST FxF | Type N1 rocker lug | |
| | | A70Y127 | 2 1/2" NST FxF | Type D3 rocker lug | |
| | | Polished chrome | A70X067 | 1 1/2" NST FxF | Type P pin lug |
| | | | A70X105 | 2 1/2" NST FxF | Type D1 pin lug |

○ A71 p. 38



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------------|--------------|-------------|----------------|----------------|----------|
| Forestry coupling | Forged brass | Rough brass | A71Y001 | 1 1/2" NST FxF | - |

○ A75 p. 28



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-----------------|-----------------------------|-----------------------------|------------|
| Reducer | Forged brass | Rough brass | A75Y001 | 2 1/2" NST F x 1 1/2" NST M | Pin lug |
| | | | A75Y002 | 2 1/2" NST F x 1 1/2" NST M | Rocker lug |
| | | Polished brass | A75Y101 | 2 1/2" NST F x 1 1/2" NST M | Pin lug |
| | | | A75Y102 | 2 1/2" NST F x 1 1/2" NST M | Rocker lug |
| | | Rough chrome | A75X001 | 2 1/2" NST F x 1 1/2" NST M | Pin lug |
| | | Polished chrome | A75X101 | 2 1/2" NST F x 1 1/2" NST M | |
| | | A75X102 | 2 1/2" NST F x 1 1/2" NST M | Rocker lug | |

FIRE PROTECTION

A80 p. 35



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES | |
|---------------|--------------|-----------------|---------|--------------|------------|------------|
| Cap and chain | Forged brass | Rough brass | A80Y001 | 1 1/2" NST F | Pin lug | |
| | | | A80Y011 | 2 1/2" NST F | | |
| | | | A80Y012 | 2 1/2" NST F | | Rocker lug |
| | | | A80Y019 | 3" NST F | | |
| | | Polished brass | A80Y111 | 2 1/2" NST F | Pin lug | |
| | | | A80X001 | 1 1/2" NST F | | |
| | | Rough chrome | A80X011 | 2 1/2" NST F | Rocker lug | |
| | | | A80X012 | 2 1/2" NST F | | |
| | | Polished chrome | A80X101 | 1 1/2" NST F | Pin lug | |
| | | | A80X111 | 2 1/2" NST F | | |
| | | | A80X112 | 2 1/2" NST F | Rocker lug | |

A80P p. 36



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------|---------------|--------------|----------|--------------|------------|
| Cap and chain | Plastic (ABS) | - | A80PY001 | 1 1/2" NST F | Rocker lug |
| | | | A80PY011 | 2 1/2" NST F | |
| | | Chrome plate | A80PX001 | 1 1/2" NST F | |

A81 p. 35



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------|--------------|-----------------|---------|--------------|------------|
| Plug and chain | Forged brass | Rough brass | A81Y001 | 1 1/2" NST M | Pin lug |
| | | | A81Y011 | 2 1/2" NST M | |
| | | | A81Y012 | 2 1/2" NST M | Rocker lug |
| | | | A81Y080 | 3" NST M | |
| | | Polished brass | A81Y111 | 2 1/2" NST M | Pin lug |
| | | | A81X011 | 2 1/2" NST M | |
| | | Polished chrome | A81X111 | 2 1/2" NST M | Rocker lug |
| | | | A81X112 | 2 1/2" NST M | |

A85 p. 8



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------------|-------------|--------------|---------|-----------------|----------|
| Straight globe hose valve | Cast bronze | Rough bronze | A85Y001 | 2 1/2" NPT Fx F | - |

A86 p. 8



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------------|-------------|--------------|---------|----------------------------|----------|
| Straight globe hose valve | Cast bronze | Rough bronze | A86Y001 | 2 1/2" NPT Fx 2 1/2" NST M | - |

A88 p. 31



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-------------|---------|-----------------------------|----------|
| Adapter | Forged brass | Rough brass | A88Y015 | 2 1/2" NPT M x 3" NST M | - |
| | | | A88Y016 | 2 1/2" NPT M x 2 1/2" NST M | |

A88G p. 31



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-------------|----------|------------------------------|----------|
| Adapter | Forged brass | Rough brass | A88GY003 | 2 1/2" NPT M x 2 1/2" groove | - |
| | | | A88GY005 | 4" NPT M x 4" groove | |

FIRE PROTECTION

A89 p. 32



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-----------------|----------------|----------------|----------------|--------------|------------|
| Swivel | Forged brass | Rough brass | A89Y011 | 2 1/2" NST F | Pin lug |
| | | | A89Y019 | 3" NST F | |
| | | | A89Y111 | 2 1/2" NST F | |
| | | Polished brass | A89Y112 | 2 1/2" NST F | Rocker lug |
| | | | A89Y119 | 3" NST F | |
| | | | A89X011 | 2 1/2" NST F | Pin lug |
| Polished chrome | A89X111 | 2 1/2" NST F | | | |
| | A89X112 | 2 1/2" NST F | Rocker lug | | |

A90 p. 29



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-----------------|----------------|-----------------------------|----------|
| Open snoot | Forged brass | Polished brass | A90Y001 | 2 1/2" NPT F x 2 1/2" NST F | Pin lug |
| | | | A90Y002 | 3" NPT F x 2 1/2" NST F | |
| | | | A90Y003 | 3" NPT F x 3" NST F | |
| | | Rough brass | A90Y055 | 3" NPT F x 2 1/2" NST F | |
| | | Polished chrome | A90X002 | 3" NPT F x 2 1/2" NST F | |

A90C p. 34



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-----------------|-----------------|-------------------------|----------------|
| Check snoot | Forged brass | Polished brass | A90CY002 | 3" NPT F x 2 1/2" NST F | Swivel pin lug |
| | | Polished chrome | A90CX002 | 3" NPT F x 2 1/2" NST F | |

A91 p. 29



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-----------------|----------------|-----------------------------|------------|
| Open snoot | Forged brass | Rough brass | A91Y001 | 1 1/2" NPT M x 1 1/2" NST F | Pin lug |
| | | | A91Y002 | 2" NPT M x 2 1/2" NST F | |
| | | | A91Y003 | 2 1/2" NPT M x 2 1/2" NST F | |
| | | | A91Y004 | 3" NPT M x 2 1/2" NST F | |
| | | Polished brass | A91Y008 | 2 1/2" NPT M x 2 1/2" NST F | Rocker lug |
| | | | A91Y021 | 1 1/2" NPT M x 1 1/2" NST F | |
| | | | A91Y023 | 2 1/2" NPT M x 2 1/2" NST F | |
| | | Rough chrome | A91Y024 | 3" NPT M x 2 1/2" NST F | Pin lug |
| | | | A91X004 | 3" NPT M x 2 1/2" NST F | |
| | | Polished chrome | A91X023 | 2 1/2" NPT M x 2 1/2" NST F | |
| | | | A91X024 | 3" NPT M x 2 1/2" NST F | |

A91C p. 34



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-----------------|-----------------|-------------------------|----------------|
| Check snoot | Forged brass | Polished brass | A91CY024 | 3" NPT M x 2 1/2" NST F | Swivel pin lug |
| | | Polished chrome | A91CX024 | 3" NPT M x 2 1/2" NST F | |

A92 p. 32



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------|--------------|-------------|----------------|-----------------------------|----------|
| Adapter male to male | Forged brass | Rough brass | A92Y001 | 1 1/2" NPT M x 1 1/2" NST M | - |
| | | | A92Y011 | 2" NPT M x 2 1/2" NST M | |
| | | | A92Y012 | 2 1/2" NPT M x 2 1/2" NST M | |

A93 p. 33



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------------|--------------|-------------|----------------|-----------------------------|----------|
| Adapter female to male | Forged brass | Rough brass | A93Y001 | 1 1/2" NPT F x 1 1/2" NST M | - |
| | | | A93Y004 | 1 1/2" NST F x 1 1/2" NPT M | |
| | | | A93Y025 | 2 1/2" NST F x 2" NPT M | |
| | | | A93Y026 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | | A93Y027 | 2 1/2" NST F x 2 1/2" NPT M | |
| | | | A93Y031 | 2 1/2" NST F x 2 1/2" NST M | |

FIRE PROTECTION

A94 p. 33



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--------------------------|--------------|-------------|----------------|-----------------------------|----------|
| Adapter female to female | Forged brass | Rough brass | A94Y001 | 1 1/2" NPT F x 1 1/2" NST F | - |
| | | | A94Y011 | 2 1/2" NPT F x 2" NPT F | |
| | | | A94Y012 | 2 1/2" NPT F x 2 1/2" NST F | |

A95 p. 15



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|------------|-------------|----------------|-------------------------|------------------------------|
| Exposed 2 way siamese fire dept connection single way clapper-back | Cast brass | Rough brass | A95Y001 | 4" NPT F x 2 1/2" NST F | branding "AUTO SPKR" pin lug |

A96 p. 15



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---|------------|-------------|----------------|-------------------------|------------------------------|
| Exposed 2 way siamese fire dept connection single way clapper-angle | Cast brass | Rough brass | A96Y001 | 4" NPT F x 2 1/2" NST F | branding "AUTO SPKR" pin lug |

A97 p. 16



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------------------|-------------------------|-------------|----------------|-------------------------|------------|
| Roof fire dept outlet connection | Cast brass | Rough brass | A97Y001 | 4" NPT F x 2 1/2" NPT M | 2 way-back |
| | | | A97Y002 | 4" NPT F x 2 1/2" NST M | |
| | | | A97Y101 | 6" NPT F x 2 1/2" NST M | |
| | | | A97Y102 | 6" NPT F x 2 1/2" NPT M | 3 way-back |
| | | | A97Y201 | 6" NPT F x 2 1/2" NPT M | |
| | | | A97Y202 | 6" NPT F x 2 1/2" NST M | |
| A97Y251 | 4" NPT F x 2 1/2" NST M | | | | |

A98 p. 17



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------------------|-------------------------|-------------|----------------|-------------------------|-------------|
| Roof fire dept outlet connection | Cast brass | Rough brass | A98Y001 | 4" NPT F x 2 1/2" NPT M | 2 way-angle |
| | | | A98Y002 | 4" NPT F x 2 1/2" NST M | |
| | | | A98Y101 | 6" NPT F x 2 1/2" NPT M | |
| | | | A98Y102 | 6" NPT F x 2 1/2" NST M | 3 way-angle |
| | | | A98Y201 | 6" NPT F x 2 1/2" NPT M | |
| | | | A98Y202 | 6" NPT F x 2 1/2" NST M | |
| A98Y251 | 4" NPT F x 2 1/2" NPT M | | | | |

A99 p. 21



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------------|--------------|-------------------|----------------|-----------------------------|---------------------------------|
| Leader line 2 way | Forged brass | Red painted brass | A99X001 | 1 1/2" NSF F x 2 1/2" NST F | chrome plated swivel rocker lug |

A101 p. 18



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---------------------------------------|------------|-------------|-----------------|-----------------|----------|
| Straight siamese fire dept connection | Cast brass | Rough brass | A101Y001 | 4" x 2 1/2" NPT | - |
| | | | A101Y012 | 4" x 3" NPT | |
| | | | A101Y101 | 6" x 2 1/2" NPT | |

A102 p. 18



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------------------------|------------|-------------|-----------------|-----------------|----------------------------------|
| Angle siamese fire dept connection | Cast brass | Rough brass | A102Y001 | 4" x 2 1/2" NPT | double drop clappers top feed |
| | | | A102Y003 | 4" x 2 1/2" NPT | double drop clappers bottom feed |
| | | | A102Y012 | 4" x 3" NPT | |
| | | | A102Y101 | 6" x 2 1/2" NPT | - |
| | | | A102Y112 | 6" x 3" NPT | |

FIRE PROTECTION

A103 p. 21



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|-------------------|-----------------|----------|-------|--------------------------------|
| Plate | Cold forged brass | Polished brass | A103Y011 | - | Branding "AUTO-SPKR" |
| | | | A103Y012 | - | Branding "STANDPIPE" |
| | | | A103Y013 | - | Branding "AUTO-SPKR STANDPIPE" |
| | | | A103Y014 | - | Branding "WALL HYDRANT" |
| | | | A103Y015 | - | UL emblem |
| | | Polished chrome | A103X011 | - | Branding "AUTO-SPKR" |
| | | | A103X012 | - | Branding "STANDPIPE" |
| | | | A103X013 | - | Branding "AUTO-SPKR STANDPIPE" |
| | | | A103X014 | - | Branding "WALL HYDRANT" |

A104 p. 33



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------|--------------|-------------|----------|---------------------|----------|
| Bush | Forged brass | Rough brass | A104Y001 | 6" NPT F x 4" NPT M | - |
| | | | A104Y002 | 8" NPT F x 6" NPT M | - |

A105 p. 19



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES | |
|---------------------------------------|------------|----------------|-----------------|-----------------------|------------------------------------|------------------------------|
| Exposed straight Fire Dept Connection | Cast brass | Rough brass | A105Y001 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A105Y002 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | Polished brass | A105Y021 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A105Y022 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | Rough brass | A105Y030 | 4" NPT F x 2 1/2" NST | Plain pin lug | |
| | | | A105Y051 | 4" NPT F x 3" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A105Y052 | 4" NPT F x 3" NST | Branding "STANDPIPE" pin lug | |
| | | | A105Y060 | 4" NPT F x 3" NST | Plain pin lug | |
| | | | A105Y201 | 6" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A105Y202 | 6" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | | A105Y230 | 6" NPT F x 2 1/2" NST | Plain pin lug | |
| | | | A105Y251 | 6" NPT F x 3" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A105Y301 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug 3 way | |
| | | | A105Y302 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug 3 way | |
| | | | A105Y401 | 6" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug 3 way | |
| | | | A105Y402 | 6" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug 3 way | |
| | | | Polished chrome | A105X021 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug |
| | | | | A105X022 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug |

A106 p. 20



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES | |
|------------------------------------|------------|----------------|-----------------|-----------------------|------------------------------------|------------------------------|
| Exposed angle Fire Dept Connection | Cast brass | Rough brass | A106Y001 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A106Y002 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | Polished brass | A106Y021 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A106Y022 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | Rough brass | A106Y030 | 4" NPT F x 2 1/2" NST | Plain pin lug | |
| | | | A106Y051 | 4" NPT F x 3" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A106Y052 | 4" NPT F x 3" NST | Branding "STANDPIPE" pin lug | |
| | | | A106Y060 | 4" NPT F x 3" NST | Plain pin lug | |
| | | | A106Y201 | 6" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A106Y202 | 6" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug | |
| | | | A106Y230 | 6" NPT F x 2 1/2" NST | Plain pin lug | |
| | | | A106Y251 | 6" NPT F x 3" NST | Branding "AUTO-SPKR" pin lug | |
| | | | A106Y252 | 6" NPT F x 3" NST | Branding "STANDPIPE" pin lug | |
| | | | A106Y301 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug 3 way | |
| | | | A106Y302 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug 3 way | |
| | | | A106Y401 | 6" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug 3 way | |
| | | | A106Y402 | 6" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug 3 way | |
| | | | Polished chrome | A106X021 | 4" NPT F x 2 1/2" NST | Branding "AUTO-SPKR" pin lug |
| | | | | A106X022 | 4" NPT F x 2 1/2" NST | Branding "STANDPIPE" pin lug |

FIRE PROTECTION

A111 p. 22



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|--------------|-------------|----------|-----------------|--------------------------|
| Flush Fire Dept Connection end outlet body | Forged brass | Rough brass | A111Y003 | 6" NPT x 3" NPT | 3-way clapper snoot type |
| | | | A111Y004 | 6" NPT x 3" NPT | 4-way clapper snoot type |
| Flush Fire Dept Connection/ Roof manifold end outlet body | | | A111Y006 | 6" NPT x 3" NPT | 6-way clapper snoot type |
| Roof manifold end outlet body | | | A111Y013 | 6" NPT x 3" NPT | 3-way clapper snoot type |
| | | | A111Y014 | 6" NPT x 3" NPT | 4-way clapper snoot type |
| Flush Fire Dept Connection/ Roof manifold end outlet body | | | A111Y026 | 8" NPT x 3" NPT | 6-way clapper snoot type |

A114 p. 25



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|---------------|-------------|----------|-----------------|--------------------------|
| Flush Fire Dept Connection/ Roof manifold back outlet | Casted bronze | Rough brass | A114Y030 | 6" NPT x 3" NPT | 4-way clapper snoot type |

A115 p. 25



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|---------------|-------------|----------|-----------------|--------------------------|
| Flush Fire Dept Connection/ Roof manifold back outlet | Casted bronze | Rough brass | A115Y030 | 6" NPT x 3" NPT | 4-way clapper snoot type |

A121 p. 23



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|--------------|-------------|----------|-----------------|-------------------------|
| Flush Fire Dept Connection horizontal left end outlet | Forged brass | Rough brass | A121Y034 | 6" NPT x 3" NPT | 4-way clapper body type |
| | | | A121Y036 | 6" NPT x 3" NPT | 6-way clapper body type |

A122 p. 24



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|--------------|-------------|----------|-----------------|-------------------------|
| Flush Fire Dept Connection horizontal back outlet | Forged brass | Rough brass | A122Y034 | 6" NPT x 3" NPT | 4-way clapper body type |
| | | | A122Y036 | 6" NPT x 3" NPT | 6-way clapper body type |

A123 p. 24



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|--------------|-------------|----------|-----------------|-------------------------|
| Flush Fire Dept Connection horizontal bottom angle outlet | Forged brass | Rough brass | A123Y034 | 6" NPT x 3" NPT | 4-way clapper body type |
| | | | A123Y036 | 6" NPT x 3" NPT | 6-way clapper body type |
| | | | A123Y056 | 8" NPT x 3" NPT | 6-way clapper body type |

A124 p. 26



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|---------------|-------------|----------|-----------------|-------------------------|
| Flush Fire Dept Connection back outlet | Casted bronze | Rough brass | A124Y030 | 6" NPT x 3" NPT | 4-way clapper body type |

A125 p. 26



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---|---------------|-------------|----------|-----------------|-------------------------|
| Flush Fire Dept Connection angle outlet | Casted bronze | Rough brass | A125Y030 | 6" NPT x 3" NPT | 4-way clapper body type |

FIRE PROTECTION

A140 p. 13



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-------------------|--------------|-------------|----------|------------------------------------|----------|
| Swing check valve | Forged brass | Rough brass | A140Y001 | 4" groove inlet x 4" groove outlet | - |
| | | | A140Y002 | 4" M NPT inlet x 4" groove outlet | |
| | | | A140Y003 | 4" M NPT inlet x 4" F NPT outlet | |

A155 p. 9



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------------|--------------|-----------------|----------|----------------------|----------|
| Pressure restricting valve | Forged brass | Rough brass | A155Y001 | 1 1/2" NPT FxF | - |
| | | | A155Y005 | 2 1/2" NPT FxF | |
| | | Polished brass | A155Y011 | 1 1/2" NPT FxF | |
| | | | A155Y015 | 2 1/2" NPT FxF | |
| | | Rough chrome | A155X005 | 2 1/2" NPT FxF | |
| | | | A155X011 | 1 1/2" NPT FxF | |
| | | Polished chrome | A155X015 | 2 1/2" NPT FxF | |
| | | | A155X035 | 2 1/2" BSPT Fx NPT F | |

A155S p. 9



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------------|--------------|-----------------|----------|----------------|-----------------|
| Pressure restricting valve | Forged brass | Rough brass | A155S001 | 1 1/2" NPT FxF | with hydrolator |
| | | Rough chrome | A155S001 | 1 1/2" NPT FxF | |
| | | Polished chrome | A155S031 | 1 1/2" NPT FxF | |

A156 p. 10



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------------|--------------|-----------------|----------|-----------------------------|----------|
| Pressure restricting valve | Forged brass | Rough brass | A156Y001 | 1 1/2" NPT F x 1 1/2" NST M | - |
| | | | A156Y005 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | Polished brass | A156Y031 | 1 1/2" NPT F x 1 1/2" NST M | |
| | | | A156Y035 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | Rough chrome | A156X001 | 1 1/2" NPT F x 1 1/2" NST M | |
| | | | A156X005 | 2 1/2" NPT F x 2 1/2" NST M | |
| | | Polished chrome | A156X031 | 1 1/2" NPT F x 1 1/2" NST M | |
| | | | A156X035 | 2 1/2" NPT F x 2 1/2" NST M | |

A170 p. 13



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|------------------------|----------|-----------|----------|-------|----------------------------|
| Monitor switch adapter | Steel | | A170Y011 | - | for A201, A202, A203, A204 |

A190T p. 21



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|-----------------------------------|--------------|-------------|-----------|-------------------------|---|
| Residential Fire Dept. Connection | Forged brass | Rough brass | A190TY001 | 1 1/2" NPT x 1 1/2" NST | branding "AUTO-SPKR" with pin lug cap and chain |

FIRE PROTECTION

A201 p. 11



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|-------------|--------------|-----------------|----------------|----------|
| Field adjustable pressure reducing angle valve | Cast bronze | Rough bronze | A201Y001 | 2 1/2" NPT FxF | - |
| | | Rough chrome | A201X001 | 2 1/2" NPT FxF | |

A202 p. 11



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|--|-------------|--------------|-----------------|-----------------------------|----------|
| Field adjustable pressure reducing angle valve | Cast bronze | Rough bronze | A202Y001 | 2 1/2" NPT F x 2 1/2" NST M | - |
| | | Rough chrome | A202X001 | 2 1/2" NPT F x 2 1/2" NST M | |

A203 p. 12



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---|-------------|--------------|-----------------|----------------|----------|
| Field adjustable pressure reducing straight valve | Cast bronze | Rough bronze | A203Y001 | 2 1/2" NPT FxF | - |

A204 p. 12



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|---|-------------|--------------|-----------------|-----------------------------|----------|
| Field adjustable pressure reducing straight valve | Cast bronze | Rough bronze | A204Y001 | 2 1/2" NPT F x 2 1/2" NST M | - |

R910 p. 43



| DESCRIPTION | MATERIAL | FINISHING | CODES | SIZES | FEATURES |
|----------------------|--------------|--------------|------------------|----------------|----------|
| Ball valve full port | Forged brass | Rough chrome | R910UY003 | 1/2" NPT FxF | - |
| | | | R910UY004 | 3/4" NPT FxF | |
| | | | R910UY005 | 1" NPT FxF | |
| | | | R910UY006 | 1 1/4" NPT FxF | |
| | | | R910UY007 | 1 1/2" NPT FxF | |
| | | | R910UY008 | 2" NPT FxF | |
| | | | R910UY009 | 2 1/2" NPT FxF | |
| | | | R910UY010 | 3" NPT FxF | |
| | | | R910UY011 | 4" NPT FxF | |